

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

APR 4 1988

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAR 16 1988 under 51644 for POD and 50434 for POU

The applicant..... City of Carlin

P.O. Box 737....., of..... Carlin.....
Street and No. or P.O. Box No. City or Town

NV. 89822....., hereby make..... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... Underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... 2.0 c.f.s.second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... SE¼ SE¼ Section 22, T.33N., R.52E.,
Describe as being within a 40-acre subdivision of public

M.D.M. at a point from which the SE Corner of said Section 22 bears s 65° 24' 22" survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

E, 725 feet distance.

6. Place of use..... Sections 21,22,23,26,27,28,33,34 and 35; all in T.33N.,R.52E., M.D.M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about..... 1 Januaryand end about..... 31 December of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... a drilled and cased well equipped with a pump
State manner in which water is to be diverted, i.e. diversion structure, ditches and
and pipeline.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$150,000

10. Estimated time required to construct works 2 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 10 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
1. consumptive use: peak-1800 GPM X 60 X 12hrs X 180 days = 233 mill.gall. annum
non-peak-50 GPM X 60 X 12 hrs X 185 days = 6.6 mill.gall. annum
239.6 mill. gall. ann.
(a well in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 23, T.33N. R.52E. MDM will provide a part of this quantity)

2. The map to accompany this application was filed with application to change #51644

By s/ Michael D. Buschelman -AGENT
5405 Mae Anne Ave.
Reno, NV. 89523

Compared pm/se pm/se
Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:
This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.
This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.
(CONTINUED PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.0 cubic feet per second, but not to exceed 239.6 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 11, 1990
Proof of completion of work shall be filed on or before April 11, 1990
Application of water to beneficial use shall be made on or before March 11, 1993
Proof of the application of water to beneficial use shall be filed on or before April 11, 1993
Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed IN TESTIMONY WHEREOF, I PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of my
Proof of beneficial use filed office, this 28th day of October
Cultural map filed A.D. 19 88
Certificate No. Issued

Peter G. Morros
State Engineer

(PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The total combined duty of water under Permits 50436, 51981, 51982 and 52266 shall not exceed 342.07 million gallons annually.